

RICOH IM 5000



Serial No.: 4453R800097

Firmware P/# : D0CH5550V

[SP Mode Data(3/38)]

Firmware Version: 8.00

Aug. 30,2024 09:02 AM

< No. >	< Name >	< Default >	< Value >	< No. >	< Name >	< Default >	< Value >		
1102-113	Feed Perml Sel(I)	Temp.:Upper Delta	30	30	1105-115	Print Target Tem	Thick1:BW:Center:	120	120
-114	Temp.:Upper Delta	30	30	-116	Thick1:BW:Press:L	118	118		
-115	Temp.:Lower Delta	60	60	-119	Special1:BW:Center	110	110		
-116	Rotation Time	0	0	-120	Special1:BW:Press:	118	118		
-117	Temp.:Lower Delta	5	5	-123	Special2:BW:Center	120	120		
-118	Temp.:Lower Delta	5	5	-124	Special2:BW:Press:	118	118		
-119	Temp.:Upper Delta	30	30	-126	Plain1:Glossy:Cent	110	110		
-120	Temp.:Upper Delta	30	30	-126	Plain1:Glossy:Press	118	118		
-121	Temp.:Lower Delta	38	38	-127	Plain2:Glossy:Cent	110	110		
-122	Rotation Time	0	0	-128	Plain2:Glossy:Press	118	118		
-131	Temp.:Lower Delta	0	0	-129	M-thick:Glossy:Cent	116	116		
-132	Temp.:Lower Delta	60	60	-130	M-thick:Glossy:Pres	118	118		
-133	Temp.:Lower Delta	0	0	-131	OHP:Center	160	160		
-134	Temp.:Lower Delta	0	0	-132	OHP:Press	84	84		
-135	Temp.:Lower Delta	0	0	-133	Envelop:Center:Lo	135	135		
-136	Temp.:Lower Delta	0	0	-134	Envelop:Press:Low	84	84		
-137	Temp.:Lower Delta	0	0	-137	Thin:BW:Center:Lo	110	110		
-138	Temp.:Lower Delta	0	0	-138	Thin:BW:Press:Low	118	118		
-141	Timeout:Press0	0	0	-141	Thick4:BW:Center	140	140		
-142	Timeout:Press1	17000	17000	-142	Thick4:BW:Press	84	84		
-143	Timeout:Press2	0	0	-143	Postcard:Center	130	130		
-144	Timeout:Press3	0	0	-144	Postcard:Press	84	84		
-146	Timeout:Press4	0	0	-147	Special3:BW:Center	130	130		
-148	Timeout:Press5	0	0	-148	Special3:BW:Press:	118	118		
-147	Timeout:Press6	0	0	-151	Plain1:BW:Center:	130	130		
-148	Timeout:Press7	0	0	-152	Plain1:BW:Press:MI	118	118		
1105-03	Print Target Tem	Plain1:BW:Center	147	147	-153	Plain2:BW:Center:	135	135	
-04	Plain1:BW:Press	133	133	-164	Plain2:BW:Press:MI	118	118		
-07	Plain2:BW:Center	157	157	-155	Thin:BW:Center:MI	120	120		
-08	Plain2:BW:Press	143	143	-156	Thin:BW:Press:Mld.	105	105		
-11	Thin:BW:Center	132	132	-157	M-thick:BW:Center:	143	143		
-12	Thin:BW:Press	118	118	-158	M-thick:BW:Press:	118	118		
-15	M-thick:BW:Center	157	157	-159	Special1:BW:Center	130	130		
-16	M-thick:BW:Press	143	143	-160	Special1:BW:Press:	118	118		
-19	Thick1:BW:Center	145	145	-161	Special2:BW:Center	145	145		
-20	Thick1:BW:Press	118	118	-162	Special2:BW:Press:	118	118		
-23	Thick2:BW:Center	140	140	-163	Special3:BW:Center	130	130		
-24	Thick2:BW:Press	84	84	-164	Special3:BW:Press:	118	118		
-27	Thick3:BW:Center	140	140	1108-01	Fusing Temp. DI	Heat Center		+158	
-28	Thick3:BW:Press	84	84	-02	Heat End		+157		
-31	Special1:BW:Center	152	152	-03	Press Center		+135		
-32	Special1:BW:Press	147	147	-04	Press End		+113		
-35	Special2:BW:Center	145	145	1107-01	Standby Target T	Standby/Preheat1:C	90	90	
-36	Special2:BW:Press	118	118	-03	Preheat2:Center	90	90		
-39	Special3:BW:Center	130	130	-05	Low Power:Center	60	60		
-40	Special3:BW:Press	118	118	-07	Print Ready:Center	140	140		
-41	Envelop:Center	135	135	-08	Print Ready:Press	120	120		
-42	Envelop:Press	84	84	-11	Standby Heater Of	0	0		
-53	Special1:BW:Center	140	140	1108-01	After Reload/Job	Center	157	157	
-54	Special1:BW:Press:	118	118	-02	Press	120	120		
-57	Special2:BW:Center	145	145	-11	Center:Energy Savi	135	135		
-58	Special2:BW:Press:	118	118	-12	Press:Energy Savi	120	120		
-61	Special3:BW:Center	150	150	1111-01	Environment Corr	Temp.: Threshold:	17	17	
-62	Special3:BW:Press:	118	118	-02	Temp.: Threshold:	30	30		
-103	Plain1:BW:Center:L	110	110	-03	Low Temp. Correct	10	10		
-104	Plain1:BW:Press:Lo	118	118	-04	High Temp. Correc	0	0		
-107	Plain2:BW:Center:L	110	110	-05	Job Low Temp. C	10.0	10.0		
-108	Plain2:BW:Press:Lo	118	118	-06	Job High Temp. C	0.0	0.0		
-111	M-thick:BW:Center:	115	115	-07	Job Low Temp. C	10.0	10.0		
-112	M-thick:BW:Press:L	118	118	-08	Job High Temp. C	0.0	0.0		

RICOH IM 5000



Serial No.: 4453R900097

Firmware P/N : DOCH5550V

[SP Mode Data(4/39)]

Firmware Version: 0.00

Aug. 30,2024 09:02 AM

< No. >	< Name >	< Default >	< Value >	< No. >	< Name >	< Default >	< Value >		
1111-11	Environment Corr	Standard Environm	23	23	1117-24	Repeat Temp. C	Temp.:End:1:B4	+15	+15
-21	Job Low Temp. C	8.0	8.0	-25	Temp.:Center:2:B4	+0	+0		
-22	Job Hlgh Temp. C	0.0	0.0	-26	Temp.:End:2:B4	+23	+23		
-23	Job Low Temp. C	8.0	8.0	-27	Control Time 3:C	2	2		
-24	Job Hlgh Temp. C	0.0	0.0	-28	Temp.:Center:3:C	+0	+0		
1112-01	Image Processin	Temp.:Plain:Center:	+0	+0	-29	Temp.:End:3:C	+30	+30	
-02	Temp.:Plain:Center:	-22	-22	-31	Control Time 1:LT	0	0		
1113-01	Curl Correction	Execute Pattern	0:OFF	0:OFF	-32	Control Time 2:LT	0	0	
-02	Humidity:Threshold:	1	1	-33	Temp.:Center:1:LT	+6	+6		
-03	Humidity:Threshold:	65	65	-34	Temp.:End:1:LT	+21	+21		
-04	Permit Temp.:Delta	40	40	-35	Temp.:Center:2:LT	+6	+6		
-05	Permit Temp.:Delta	30	30	-36	Temp.:End:2:LT	+21	+21		
-06	Permit Temp.:Delta	30	30	-37	Control Time 3:E	0	0		
-07	Permit Temp.:Delta	20	20	-38	Temp.:Center:3:E	+6	+6		
-08	CPM:M-humld	80	80	-39	Temp.:End:3:E	+21	+21		
-09	CPM:H-humld	65	65	-41	Control Time 2:A4	0	0		
-10	CPM:M-humld:No	80	80	-42	Temp.:End:1:A4	60	60		
-11	CPM:H-humld:No	65	65	-43	Temp.:Center:2:A4	+0	+0		
1114-01	Heat Storage Sla	Temp.:Threshold:Pr	80	80	-44	Temp.:End:2:A4	+0	+0	
-02	Temp.:Threshold:At	60	60	-45	Control Time 1:DL	+22	+22		
-03	Temp.:Threshold:C	60	60	-46	Control Time 2:DL	+22	+22		
-04	Temp.:Threshold:V	40	40	-47	Control Time :Ener	0	0		
1116-01	Target Temp. Co	Temp.:Delta:End	+0	+0	-48	Temp.:Center:3:En	+22	+22	
1116-01	Heat Storage FB	Execullon mode	1:ON(BW)	1:ON(BW)	-49	Temp.:End:3:Energ	+22	+22	
-11	Time Out	10	10	-51	Control Time 1:A4	0	0		
-12	Time Out:Energy S	3	3	-52	Control Time 2:A4	120	120		
-22	Delay:Standard Sp	540	540	-53	Temp.:Center:1:A4	+0	+0		
-23	Delay:Standard Sp	850	850	-54	Temp.:End:1:A4	+21	+21		
-32	Delay:Standard Sp	540	540	-55	Temp.:Center:2:A4	+8	+6		
-33	Delay:Standard Sp	850	850	-56	Temp.:End:2:A4	-30	-30		
-41	Press Reference T	75	75	-57	Control Time 3:F	0	0		
-42	Temp. Correction	-1	-1	-58	Temp.:Center:3:F	+6	+6		
-43	Temp. Correction	0	0	-59	Temp.:End:3:F	-30	-30		
-51	Paper Thickness C	+30	+30	-61	Control Time 1:A3:	0	0		
-52	Paper Thickness C	+30	+30	-62	Control Time 2:A3:	0	0		
-53	Paper Thickness C	-50	-50	-63	Temp.:Center:1:A3:	+0	+0		
-54	Paper Thickness C	+0	+0	-64	Temp.:End:1:A3:M-	+0	+0		
-73	Paper Thickness C	+0	+0	-65	Temp.:Center:2:A3:	+0	+0		
-74	Paper Thickness C	+30	+30	-66	Temp.:End:2:A3:M-	+0	+0		
1117-01	Repeat Temp. C	Control Time 1:A3	0	0	-67	Control Time 3:M-I	0	0	
-02	Control Time 2:A3	0	0	-68	Temp.:Center:3:M-t	+0	+0		
-03	Temp.:Center:1:A3	+0	+0	-69	Temp.:End:3:M-thlc	+0	+0		
-04	Temp.:End:1:A3	+0	+0	-71	Control Time 1:DL	30	30		
-05	Temp.:Center:2:A3	+0	+0	-72	Control Time 2:DL	30	30		
-06	Temp.:End:2:A3	+0	+0	-73	Temp.:Center:1:DL	+0	+0		
-07	Control Time 3:A	0	0	-74	Temp.:End:1:DLT:	-5	-5		
-08	Temp.:Center:3:A	+0	+0	-75	Temp.:Center:2:DL	+0	+0		
-09	Temp.:End:3:A	+0	+0	-76	Temp.:End:2:DLT:	-10	-10		
-11	Control Time 1:DL	30	30	-77	Control Time 3:B:	0	0		
-12	Control Time 2:DL	60	60	-78	Temp.:Center:3:B:	+0	+0		
-13	Temp.:Center:1:DL	+0	+0	-79	Temp.:End:3:B:M-I	-10	-10		
-14	Temp.:End:1:DLT	-5	-5	-81	Control Time 1:En	0	0		
-15	Temp.:Center:2:DL	+0	+0	-82	Control Time 2:En	0	0		
-16	Temp.:End:2:DLT	-5	-5	-83	Temp.:Center:1:En	+0	+0		
-17	Control Time 3:B	0	0	-84	Temp.:End:1:Envel	+10	+10		
-18	Temp.:Center:3:B	+0	+0	-85	Temp.:Center:2:En	+0	+0		
-19	Temp.:End:3:B	-5	-5	-86	Temp.:End:2:Envel	+10	+10		
-21	Control Time 1:B4	0	0	-87	Control Time 3:En	0	0		
-22	Control Time 2:B4	4	4	-88	Temp.:Center:3:En	+0	+0		
-23	Temp.:Center:1:B4	+0	+0	-89	Temp.:End:3:Envel	+10	+10		

RICOH IM 5000



Serial No.: 4463R900097

Firmware P/# : D0CH5550V

[SP Mode Data(5/39)]

Firmware Version: 8.00

Aug. 30,2024 09:02 AM

< No. >	< Name >	< Default >	< Value >	< No. >	< Name >	< Default >	< Value >		
1117-91	Repeat Temp. C	Control Time 1:En	0	0	1117-185	Repeat Temp. C	Control Time 3:G	0	0
-92		Control Time 2:En	120	120	-186		Temp.:Center:3:G	+0	+0
-93		Temp.:Center:1:En	+0	+0	-187		Temp.:End:3:G	+0	+0
-94		Temp.:End:1:Envel	+0	+0	-190		Control Time 1:En	30	30
-95		Temp.:Center:2:En	-5	-5	-191		Control Time 2:En	60	60
-96		Temp.:End:2:Envel	-5	-5	-192		Temp.:Center:1:En	+0	+0
-97		Control Time 3:En	0	0	-193		Temp.:End:1:Energ	-5	-5
-98		Temp.:Center:3:En	-5	-5	-194		Temp.:Center:2:En	+0	+0
-99		Temp.:End:3:Envel	-5	-5	-195		Temp.:End:2:Energ	-5	-5
-101		Control Time 1:B5	0	0	-196		Control Time 3:En	110	110
-102		Control Time 2:B5	0	0	-197		Temp.:Center:3:En	-3	-3
-103		Temp.:Center:1:B5	+0	+0	-198		Temp.:End:3:Energ	-6	-5
-104		Temp.:End:1:B5	+5	+5	1118-03	Before Job Temp	Temp.:Center:A3	+0	+0
-105		Temp.:Center:2:B5	+0	+0	-04		Temp.:End:A3	+0	+0
-106		Temp.:End:2:B5	+5	+5	-05		Temp.:Center:DLT	+0	+0
-107		Control Time 3:H-	0	0	-06		Temp.:End:DLT	+0	+0
-108		Temp.:Center:3:H-	+0	+0	-13		Temp.:Center:A3:M	+0	+0
-109		Temp.:End:3:H-K	+5	+5	-14		Temp.:End:A3:M-Ihl	+0	+0
-111		Control Time 1:B6:	0	0	-15		Temp.:Center:DLT:	+0	+0
-112		Control Time 2:B5:	50	50	-16		Temp.:End:DLT;M-I	+0	+0
-113		Temp.:Center:1:B5:	+0	+0	-23		Temp.:Center:A3:T	+0	+0
-114		Temp.:End:1:B5:MI	-5	-5	-24		Temp.:End:A3:Thlc	+0	+0
-115		Temp.:Center:2:B5:	-3	-3	-25		Temp.:Center:DLT:	+0	+0
-116		Temp.:End:2:B5:MI	-5	-5	-26		Temp.:End:DLT:Thl	+0	+0
-117		Control Time 3:H-	50	50	1119-01	Aging Temp. Cor	Page(%)	10	10
-118		Temp.:Center:3:H-	-5	-5	-02		Rotation(%)	10	10
-119		Temp.:End:3:H-K:M	-5	-6	-12		Temp.:Plain:BW	0	0
-151		Control Time 1:DL	0	0	-13		Temp.:Plain:Energy	10	10
-152		Control Time 2:DL	0	0	1120-01	Fuser Logs acqui	Mode Swtch	0	0
-153		Temp.:Center:1:DL	+0	+0	-02		Period Switch	0	0
-154		Temp.:End:1:DLT:L	+5	+5	1121-01	Switch:Rotation 8	Time:After Reload	60	60
-155		Temp.:Center:2:DL	+0	+0	-02		Time:After Recover	15	15
-156		Temp.:End:2:DLT:L	+5	+5	-03		Time:After Job	60	60
-157		Control Time 3:B:L	0	0	-04		Press Temp.:After	160	160
-158		Temp.:Center:3:B:L	+0	+0	-06		ShiftTemp:Feed:Pr	200	200
-159		Temp.:End:3:B:Low	+5	+5	-07		ShiftTemp:Feed:Pr	200	200
-161		Control Time 1:DL	0	0	-08		Overshoot Prevent	185	185
-162		Control Time 2:DL	0	0	-09		Overshoot Prevent	10	10
-163		Temp.:Center:1:DL	+0	+0	-10		End Temp.:After J	135	135
-164		Temp.:End:1:DLT:	+5	+5	-11		End Temp.:After J	170	170
-165		Temp.:Center:2:DL	+0	+0	-12		End Temp.:After J	155	155
-166		Temp.:End:2:DLT:	+5	+5	-13		End Temp.:After J	165	155
-167		Control Time 3:M-I	0	0	-14		End Temp.:After J	165	155
-168		Temp.:Center:3:M-I	+0	+0	-17		ShiftTemp:Bk:Feed:	170	170
-169		Temp.:End:3:M-Ihlc	+5	+5	-16		ShiftTemp:Bk:Feed:	200	200
-170		Control Time 1:D	0	0	-19		ShiftTemp:Bk:Feed:	180	180
-171		Control Time 2:D	0	0	-20		ShiftTemp:Bk:Feed:	215	215
-172		Temp.:Center:1:D	+0	+0	-21		Time:After Main 8	60	60
-173		Temp.:End:1:D	+0	+0	-22		ShiftTemp:Bk:Feed:	160	160
-174		Temp.:Center:2:D	+0	+0	-23		ShiftTemp:Bk:Feed:	160	160
-175		Temp.:End:2:D	+0	+0	-24		ShiftTemp:Bk:Feed:	160	160
-176		Control Time 1:G	0	0	-25		ShiftTemp:Bk:Feed:	145	145
-177		Control Time 2:G	0	0	-26		ShiftTemp:Bk:Feed:	180	180
-178		Temp.:Center:1:G	+0	+0	-27		ShiftTemp:Bk:Feed:	215	215
-179		Temp.:End:1:G	+0	+0	-28		ShiftTemp:Bk:Feed:	215	215
-180		Temp.:Center:2:G	+0	+0	-51		Pre Job Paper Fe	500	500
-181		Temp.:End:2:G	+0	+0	-52		Soaking Rotary TI	90	90
-182		Control Time 3:D	0	0	-53		Pre Job Paper Fe	500	500
-183		Temp.:Center:3:D	+0	+0	-54		Soaking Rotary TI	90	90
-184		Temp.:End:3:D	+0	+0	-55		Pre Job Paper Fe	50	50

RICOH IM 6000



Serial No.: 4453R900097 Firmware P/N : D0CH5550V
 Firmware Version: 8.00

[SP Mode Data(6/39)]
 Aug. 30,2024 09:02 AM

< No. >	< Name >	< Default >	< Value >	< No. >	< Name >	< Default >	< Value >	
1121-56	Switch:Rotation S	Soaking Rotary TI	10	10	1124-29	CPM Down Sell	210	210
-57	Pre Job Paper Fe	10000	10000	-30	High:1st CPM Dow	170	170	
-58	Soaking Rotary TI	0	0	-31	High:2nd CPM Do	180	180	
-59	Pre Job Paper Fe	45	45	-32	High:3rd CPM Do	210	210	
-60	Soaking Rotary TI	10	10	-33	High:1st CPM Dow	170	170	
-61	Pre Job Paper Fe	27	27	-34	High:2nd CPM Do	180	180	
-62	Soaking Rotary TI	25	25	-35	High:3rd CPM Do	210	210	
-63	Pre Job Paper Fe	17	17	-36	High:1st CPM Dow	215	215	
-64	Soaking Rotary TI	25	25	-37	High:2nd CPM Do	220	220	
-65	Pre Job Paper Fe	17	17	-38	High:3rd CPM Do	225	225	
-66	Soaking Rotary TI	25	25	-39	High:1st CPM Dow	215	215	
-67	Pre Job Paper Fe	50	50	-40	High:2nd CPM Do	220	220	
-68	Soaking Rotary TI	10	10	-41	High:3rd CPM Do	225	225	
-69	Pre Job Paper Fe	10000	10000	-51	Judging Interval	4	4	
-70	Soaking Rotary TI	0	0	-101	High:1st CPM Dow	10000	10000	
-71	Pre Job Paper Fe	10000	10000	-102	High:2nd CPM Do	10000	10000	
-72	Soaking Rotary TI	0	0	-103	High:3rd CPM Do	10000	10000	
-80	Shift Time: AfterRe	10.0	10.0	-104	High:1st CPM Dow	10000	10000	
-90	Control Switch Te	32	32	-105	High:2nd CPM Do	10000	10000	
-91	Control Switch Te	5	5	-106	High:3rd CPM Do	10000	10000	
-101	Heat Off Time:Star	0	0	-107	High:1st CPM Dow	60	60	
-102	Heat Off Time:Star	100000	100000	-108	High:2nd CPM Do	10000	10000	
-103	Time Elapsed After	0	0	-109	High:3rd CPM Do	10000	10000	
-111	Heat Off Time:Sto	0	0	-110	High:1st CPM Dow	10000	10000	
-112	Heat Off Time:Sto	60	60	-111	High:2nd CPM Do	10000	10000	
-113	Heat Off Time:Sto	0	0	-112	High:3rd CPM Do	10000	10000	
-114	Relay ON Temp.:	200	200	-113	High:1st CPM Dow	10000	10000	
-200	Rotary Time:Timeo	90	90	-114	High:2nd CPM Do	10000	10000	
1122-01	Standby Rotation	Rotation Interval	60	60	-115	High:3rd CPM Do	10000	10000
-02	Rotation Time	0.8	0.8	-116	High:1st CPM Dow	10000	10000	
1123-01	Paper Jam Rotatl	Normal Rotation DI	75	75	-117	High:2nd CPM Do	10000	10000
-02	Reverse Rotation	75	75	-118	High:3rd CPM Do	10000	10000	
1124-01	CPM Down Sell	High:Down Temp.	-17	-17	-119	High:1st CPM Dow	10000	10000
-02	High:Up Temp.	-12	-12	-120	High:2nd CPM Do	10000	10000	
-03	Low :1st CPM	80	80	-121	High:3rd CPM Do	10000	10000	
-04	Low :2nd CPM	65	65	-122	High:1st CPM Dow	10000	10000	
-05	Low :3rd CPM	50	50	-123	High:2nd CPM Do	10000	10000	
-06	High:1st CPM	80	80	-124	High:3rd CPM Do	10000	10000	
-07	High:2nd CPM	50	50	-125	High:1st CPM Dow	20	20	
-08	High:3rd CPM	30	30	-126	High:2nd CPM Do	40	40	
-09	High:1st CPM Dow	205	205	-127	High:3rd CPM Do	10000	10000	
-10	High:2nd CPM Do	210	210	-128	High:1st CPM Dow	10000	10000	
-11	High:3rd CPM Do	215	215	-129	High:2nd CPM Do	10000	10000	
-12	High:1st CPM Dow	215	215	-130	High:3rd CPM Do	10000	10000	
-13	High:2nd CPM Do	219	219	-131	High:1st CPM Dow	10000	10000	
-14	High:3rd CPM Do	220	220	-132	High:2nd CPM Do	10000	10000	
-15	High:1st CPM Dow	200	200	-133	High:3rd CPM Do	10000	10000	
-16	High:2nd CPM Do	210	210	-161	High:1st CPM Dow	10000	10000	
-17	High:3rd CPM Do	215	215	-162	High:2nd CPM Do	10000	10000	
-18	High:1st CPM Dow	215	215	-163	High:3rd CPM Do	10000	10000	
-19	High:2nd CPM Do	220	220	-164	High:1st CPM Dow	10000	10000	
-20	High:3rd CPM Do	225	225	-165	High:2nd CPM Do	10000	10000	
-21	High:1st CPM Dow	215	215	-166	High:3rd CPM Do	10000	10000	
-22	High:2nd CPM Do	220	220	-167	High:1st CPM Dow	10000	10000	
-23	High:3rd CPM Do	225	225	-168	High:2nd CPM Do	10000	10000	
-24	High:1st CPM Dow	205	205	-169	High:3rd CPM Do	10000	10000	
-25	High:2nd CPM Do	210	210	-170	High:1st CPM Dow	10000	10000	
-26	High:3rd CPM Do	220	220	-171	High:2nd CPM Do	10000	10000	
-27	High:1st CPM Dow	170	170	-172	High:3rd CPM Do	10000	10000	
-28	High:2nd CPM Do	180	180	-173	High:1st CPM Dow	10000	10000	